

Glossary

The following terms are used throughout this plan. Refer back to this list if you need to determine the meaning of any of these terms.

Baseline – An initial set of observations or data used for comparison or as a control; a starting point.

Best management practice (BMP) – A method that has been determined to be the most effective, practical means of preventing or reducing pollution from nonpoint sources.

Biocriteria – The biological characteristics that quantitatively describe a waterbody with a healthy community of fish and associated aquatic organisms. Components of biocriteria include the presence and seasonality of key indicator species; the abundance, diversity, and structure of the aquatic community; and the habitat conditions required for these organisms.

Calibration – Testing and tuning of a model to a set of field data not used in developing the model; also includes minimization of deviations between measured field conditions and output of a model by selecting appropriate model coefficients.

Clinger richness – A metric used to measure the diversity of macroinvertebrates that have the ability to attach to the substrate in flowing water.

Criteria – Standards that define minimum conditions, pollutant limits, goals, and other requirements that the waterbody must attain or maintain to support its designated use or uses. Criteria describe physical, chemical, and biological attributes or conditions as measurable (e.g., parts per million of a certain chemical) or narrative (e.g., no objectionable odors) water quality components.

CWA section 303(d) – Section of the Clean Water Act under which states, territories, and authorized tribes are required to develop lists of impaired waters.

CWA section 305(b) – Section of the Clean Water Act under which states are required to prepare a report describing the status of their water quality every 2 years.

CWA section 319 – Section of the Clean Water Act under which EPA has developed guidelines to help states, territories, and tribes implement nonpoint source pollutant management programs and provide grants to fund the programs.

Delineation – The process of identifying a watershed boundary on the basis of topographic information.

Designated use – Simple narrative description of water quality expectations or water quality goals. A designated use is a legally recognized description of a desired use of the

waterbody, such as (1) support of communities of aquatic life, (2) body contact recreation, (3) fish consumption, and (4) public drinking water supply. These are uses that the state or authorized tribe wants the waterbody to be healthy enough to fully support. The Clean Water Act requires that waterbodies attain or maintain the water quality needed to support designated uses.

Eutrophication – Enrichment of an aquatic ecosystem with nutrients (nitrogen, phosphorus) that accelerate biological productivity (growth of algae and weeds) and an undesirable accumulation of algal biomass.

Geographic information system (GIS) – A tool that links spatial features commonly seen on maps with information from various sources ranging from demographics to pollutant sources.

Hydrologic unit code (HUC) – A unique code, consisting of two to eight digits (based on the four levels of classification in the hydrologic unit system), that identifies each hydrologic unit.

Information/education (I/E) activities – Public outreach.

Impaired waterbody – A waterbody that does not meet the criteria that support its designated use.

Indicator – Direct or indirect measurements of some valued component or quality in a system. Can be used to measure the current health of the watershed and to provide a way to measure progress toward meeting the watershed goals.

Management measure – A group of cost-effective practices implemented cooperatively to achieve more comprehensive goals, such as reducing the loads of sediment from a field to receiving waters.

Management practice – A method that is effective and practical for preventing or reducing pollution from nonpoint sources. Management practices, which are the building blocks of management measures, are similar to best management practices.

McNeil core – A streambed sample collected with a McNeil core sampler and used to characterize the composition of the substrate.

Model – A representation of an environmental system obtained through the use of mathematical equations or relationships.

Model application – The use of a model or models to address defined questions at a specific location.

Modeling system – A computer program or software package that incorporates a model and input and output systems to facilitate application.

Narrative criteria – Nonnumeric descriptions of desirable or undesirable water quality conditions.

National Pollutant Discharge Elimination System (NPDES) – A provision of the Clean Water Act that prohibits the discharge of pollutants into waters of the United States unless a special permit is issued by EPA, a state, or, where delegated, a tribal government on an Indian reservation.

Nine minimum elements – Components that EPA has identified as critical for achieving improvements in water quality. EPA requires that these nine elements be addressed for section 319-funded watershed plans and strongly recommends they be included in all watershed plans that are intended to remediate water quality impairments.

Nonpoint source – Diffuse pollution source; a source without a single point of origin or not introduced into a receiving stream from a specific outlet. The pollutants are generally carried off the land by stormwater. Common nonpoint sources are agriculture, forestry, urban areas, mining, construction, dams, channels, land disposal, saltwater intrusion, and city streets.

Nonstructural practice – A practice that prevents or reduces runoff problems in receiving waters by reducing the generation of pollutants and managing runoff at the source. This type of practice may be included in a regulation or may involve voluntary pollution prevention practices.

Numeric criteria – Criteria or limits for many common pollutants that are based on laboratory and other studies that test or otherwise examine the effects of pollutants on live organisms of different species.

Point source – A stationary location or fixed facility from which pollutants are discharged; any single identifiable source of pollution, such as a pipe, ditch, ship, ore pit, or factory smokestack.

Pollutant – A contaminant in a concentration or amount that adversely alters the physical, chemical, or biological properties of the natural environment.

Pollutant load – The amount of pollutants entering a waterbody. Loads are usually expressed in terms of a weight and a time frame, such as pounds per day (lb/d).

Stakeholder – Individual or organization that has a stake in the outcome of the watershed plan.

Structural practice – A practice, such as a stormwater basin or streambank fence, that requires construction, installation, and maintenance.

Targeted sampling – Sampling in which sites are allocated to specific locations of concern (e.g., below discharges, in areas of particular land use, at stream junctions to isolate subwatersheds) for the purpose of trying to answer site-specific questions.

Threatened waterbody – A waterbody that is meeting standards but exhibits a declining trend in water quality such that it will likely exceed standards.

Total Maximum Daily Load (TMDL) – The amount, or load, of a specific pollutant that a waterbody can assimilate and still meet the water quality standard for its designated use. For impaired waters the TMDL reduces the overall load by allocating the load among current pollutant loads (from point and nonpoint sources), background or natural loads, a margin of safety, and sometimes an allocation for future growth.

Universal Soil Loss Equation (USLE) – An equation used to predict the average rate of erosion of an area on the basis of the rainfall, soil type, topography, and management measures of the area.

Validation – Subsequent testing of a precalibrated model to additional field data, usually under different external conditions, to further examine the model's ability to predict future conditions. Same as verification.

Water quality standards – Standards that set the goals, pollution limits, and protection requirements for each waterbody. These standards are composed of designated (beneficial) uses, numeric and narrative criteria, and antidegradation policies and procedures.

Watershed – Land area that drains to a common waterway, such as a stream, lake, estuary, wetland, or ultimately the ocean.

Watershed approach – A flexible framework for managing water resource quality and quantity within specified drainage area, or watershed. This approach includes stakeholder involvement and management actions supported by sound science and appropriate technology.

Watershed plan – A document that provides assessment and management information for a geographically defined watershed, including the analyses, actions, participants, and resources related to development and implementation of the plan.